

I understand the nature and type of material used in my crown(s), onlay(s), veneer(s) or bridgework, for example, porcelain-fused-to-metal, etc. has been explained to me and it is my understanding that the material to be used is: Lithium disilicate glass-ceramic block (LS2)

By signing below I acknowledge and authorize the above listed material to be used in my mouth.

I have been given the opportunity to view my crown(s), onlay(s), veneer(s) and/or bridgework in place prior to final cementation. I approve of the color, shape, feel and overall appearance of my crown(s), onlay(s), veneer(s) or fixed bridgework. I understand that once the restoration is placed in my mouth, the factors of color, shape, feel and appearance cannot be changed without additional and possibly significant time being taken and fees assessed. I further understand that removing cemented crowns, onlays, veneers or fixed bridgework may create the risk of injury or breakage to the underlying teeth.

By signing this Consent for Final Cementation I give Gunnerson Dental my consent for final cementation of my restoration and acknowledge my approval of the appearance and authorize use of the material cited above.

Sign Form

To the best of my knowledge, the questions on this form have been accurately answered. I understand that providing incorrect information can be dangerous to my (or patients') health. It is my responsibility to inform the dental office of any changes in medical status.

I consent to use Electronic Records and Signatures.: []

Relation to Patient:

I certify that I have explained to the patient and/or the patient's legal representative the nature, purpose, benefits, known risks, complications, and alternatives to the proposed procedure. The patient and/or patient's legal representative has voiced an understanding of the information given. I have answered all questions to the best of my knowledge, and I believe that the patient and/or legal representative fully understands what I have explained.

I consent to use Electronic Records and Signatures.: []